ANTIFREEZE/COOLANT DATA SHEET



Extended Life Pink

252-1502



This Premium Extended Life Antifreeze/Coolant is an Ethylene Glycol based, pre-diluted, Antifreeze/Coolant formulated for Asian automobile engine cooling systems that specify the use of "Extended Life" Antifreeze/Coolant.

Premium Extended Life Antifreeze/Coolant utilizes Phosphated Organic Acid Technology also known as Hybrid Organic Acid Technology (HOAT) and contains no amines or borates and is free of silicates that may harm water pump seals and cause gel formation which may clog the radiator.

DO NOT ADD WATER.

This Antifreeze/Coolant provides superior extended life corrosion and rust protection of water-cooled automobile engine cooling system components and meets ASTM D-3306.

FORMULATED FOR	OE REFERENCE NUMBER
TOYOTA	00272-SLLC2
LEXUS	00272-SLLC2
SCION	00272-SLLC2
HINO	00272-SLLC2

ATTRIBUTES	
APPEARANCE	Pink
DENSITY AT 20°C	1.07 g/cm ³
FREEZING POINT	-37°C/<34°F
FLASH POINT	None
BOILING POINT	129°C/265°F
WATER CONTENT	50%
PH-VALUE	7.7

Using a 15 psi (103 kPa) pressure cap at sea level



Braking | Engine: Electrical | Engine: Mechanical | Fluids | Steering/Suspension/Driveline

