

ANTIFREEZE/COOLANT DATA SHEET



Check with Beck

Euro Eco Concentrate

252-1023
US/Canada



Euro Eco Concentrate is a premium quality long-life coolant concentrate of the latest generation based on monoethylene glycol and glycerin. It contains no nitrates, amines or phosphates and provides reliable protection for use in aluminum or iron engines. Euro Eco Concentrate provides superior corrosion and rust protection for water-cooled automobile engine cooling system components. It is a direct equivalent to Audi/Volkswagen G13 coolant and is backwards compatible with earlier G12++, G12+ and G12 Volkswagen formulations.

All European coolants come with an easy to use four liter bottle with an award-winning childproof cap design.

ADVANTAGES AND BENEFITS

- For use in both iron and aluminum engines
- Superior anti-corrosion properties allow longer life
- Protection against foaming and cavitation
- Matches OE coloration
- Produced and packaged in Germany
- The pro rata use of glycerine (which is made from renewable resources) reduces the green house gas emissions during production by approximately 11%

IN COMPLIANCE WITH THE FOLLOWING SPECIFICATIONS

- ASTM D3306/D4985
- SAE J1034
- TL 774-J (G13)

FORMULATED FOR OE REFERENCE NUMBER

AUDI/VOLKSWAGEN	G013A8J1G
AUDI/VOLKSWAGEN	G013A8JM1
PORSCHE	000 043 305 15

ATTRIBUTES

APPEARANCE	Magenta
DENSITY AT 20°C/68°F	1.13 g/cm ³
FLASH POINT	>100°C/>212°F
BOILING POINT	>170°C/338°F
PH-VALUE AT 20°C/68°F	~8.4
VISCOSITY AT 20°C/68°F	25mm ² /s
POUR POINT AT 50/50 RATIO	~-36°C/-32.8°F

UNIT SIZE	PART NUMBER
1.057 GAL. (4.0 LITERS)	252-1023

BECK/ARNLEY
Foreign Nameplate Specialists

Braking | Engine: Electrical | Engine: Mechanical | Fluids | Steering/Suspension/Driveline